

• Your perfect fit

Brink vertically detachable towbar



BRiNK[®]

Your perfect fit
brink.eu



Premium quality

At Brink you can choose from a wide range of towbars. For virtually every type of car we have developed several variants. We have flanged, fixed, detachable and retractable towbars. Although each type of towbar has its own specific characteristics, all are equal in innovation, ease of use and security to ensure premium quality.

Innovation

Maximum towing weight and nose load

The technical specifications of your car determine the maximum (horizontal) towing weight and the maximum permissible vertical load. Brink towbars are designed in such a way that these specifications can be fully utilised.

Stylish design

Our towbars have a stylish design which is complimented by our manufacturing capabilities allowing a bespoke design for each vehicle. Our towbars are tailored to the vehicle aesthetics whilst always respecting the statutory towbar height: measured from the ground 35 to 42 cm at maximum load.

Light weight

Brink towbars are easy to handle. All our towbars and auxiliary parts are made of high strength steel, which makes them extremely lightweight.

Sustainable

Brink towbars guarantee you a sustainable product. We provide all our towbars with a corrosion-resistant protective layer, which prevents rust forming and preserves the paint finish.

Ease of use

Tailor made

Brink towbars are quick and easy to install. All our towbars are car-specific, based on mounting points and loading data provided by the vehicle manufacturers. Therefore, Brink towbars have the right fit and can be easily installed to your vehicle.

Unique integrated eye

With a Brink towbar the breakaway cable is easy to connect. All our towbar solutions come with a unique integrated eye which is located centrally below the bumper line. Although practically invisible, the eye can be easily located and utilised.

Wide turning angle

Brink towbars allow you to take every turn seamlessly. Legally, the distance between the bumper and the centre of the ball has to be at least 54 millimetres. We maintain a greater distance to accommodate the largest AL-KO coupling which allow more articulation and reduce risk of bumper damage.

Safety

Amalgamated norms

A Brink towbar guarantees you optimum safety. All our towbars comply with the international standards (DIN ISO, ECE R55, TÜV GS, City Crash) and those of car manufacturers. In order to offer you additional security, we have further amalgamated these requirements with our own standards.

Extensive testing

At Brink we have an advanced testing centre. Every towbar is subject to quality tests while being exposed to the most extreme conditions. This is done according to the international standards and our own self imposed tests which provide a guarantee for years of carefree and enjoyable use.

Qualitative assembly

Brink works closely with selected garages, car dealers and fast fitters. These are qualified assembly stations that we check and train periodically. Their technicians meet our high quality standards and you can be assured that your towbar and wiring kit are correctly installed to your vehicle. Brink provides a five-year warranty on our towbar and installation if completed by one of our installation partners.


Brink BMU

Vertically detachable towbar


Are you looking for a towbar that can be made completely invisible after use? In that case, the Brink vertically detachable towbar is the solution. The towball can be removed and stored in your boot whilst the electrical socket can be folded up behind the bumper. An invisible solution.



Step 1.



Step 2.



Step 3.

Innovation

With a vertically detachable towbar no longer is there a permanent fixture behind your car. But within a few seconds a towbar is always available when you need it. The vertically detachable towbar offers you a fully invisible solution after removal of the ball. This is possible because the housing in which you lock the ball is hidden behind the bumper. The electrical socket can also be hidden behind the bumper, so you can not see that the car is equipped with a towbar.

Ease of use

The vertically detachable towbar is provided with a cover and a plug is used to protect against dirt and grit. This makes the towbar maintenance free. Access to the boot is also an added advantage once the towball has been removed. All our detachable towbars come with a storage bag for the towball, which can be stored in the boot keeping the ball and interior clean.

Simply to operate

The vertically detachable towbar is very easy to use. To attach the towball, simply insert it into the housing with a vertical movement. Then, by pushing the ball slightly downwards, the towball automatically locks in position. To remove, push the rotary knob in the direction of the ball and turn it with your thumb to unlock. After that you can remove the ball and store it in your boot. Finally, the electrical socket can be stored behind the bumper with one simple rotating movement. During the job your hands remain clean. There is no tool, lubrication or grease required.

Ergonomic rotary knob

The rotary knob of the vertically detachable towbar has an ergonomic design. It is comfortable to operate because your fingers, hand, wrist and arm have a natural position when handling it. This allows an optimal power transfer with minimal effort when unlocking the towball.

Clear instructions

Attachment and removal of the vertically detachable towbar is quick and easy. On the rotary knob, there are two arrows that indicate the two successive operations for this.

Safety

The vertically detachable towbar offers the same safety and strength as a fixed towbar. It can fully utilise the vertical axle load and trailer weight, as indicated by the car manufacturer, just like a fixed towbar. The locking system has been extensively tested for under the most extreme driving conditions. The towball is located firmly into its housing and is designed in such a way that engagement increases the higher the vertical load.

Audible lock

Thanks to the Ergoclick™, an audible click can be heard when locking the ball. This audible confirmation is reassurance that the towbar is properly inserted.

Visible lock

The rotary knob has a built-in colour indication consisting of colour codes. Green is a successful lock. Red means the ball is not engaged correctly and requires reinstallation.

Anti-theft lock™

Our detachable towbars are theft-proof. The ball has an integrated security lock with key which allows the towball to remain attached and free from theft.



Brink Towing Systems
Unit 7 Centrovell Industrial Estate, Caldwell RD
T 02476 355 810
F 02476 352 024
salesin.box@brink.eu
www.brink.eu



BRiNK[®]

Your perfect fit
brink.eu