Your perfect fit

Brink retractable towbar





Premium quality

At Brink you can choose from a wide range of towbars. For virtually every type of car we have developed several variants. We have flanged, fixed, detachable and retractable towbars. Although each type of towbar has its own specific characteristics, all are equal in innovation, ease of use and security to ensure premium quality.

Innovation

Maximum towing weight and nose load

The technical specifications of your car determine the maximum (horizontal) towing weight and the maximum permissible vertical load. Brink towbars are designed in such a way that these specifications can be fully utilised.

Stylish design

Our towbars have a stylish design which is complimented by our manufacturing capabilities allowing a bespoke design for each vehicle. Our towbars are tailored to the vehicle aesthetics whilst always respecting the statutory towbar height: measured from the ground 35 to 42 cm at maximum load.

Light weight

Brink towbars are easy to handle. All our towbars and auxiliary parts are made of high strength steel, which makes them extremely lightweight.

Sustainable

Brink towbars guarantee you a sustainable product. We provide all our towbars with a corrosion-resistant protective layer, which prevents rust forming and preserves the paint finish.

Ease of use

Tailor made

Brink towbars are quick and easy to install. All our towbars are car-specific, based on mounting points and loading data provided by the vehicle manufacturers. Therefore, Brink towbars have the right fit and can be easily installed to your vehicle.

Unique integrated eye

With a Brink towbar the breakaway cable is easy to connect. All our towbar solutions come with a unique integrated eye which is located centrally below the bumper line. Although practically invisible, the eye can be easily located and utilised.

Wide turning angle

Brink towbars allow you to take every turn seamlessly. Legally, the distance between the bumper and the centre of the ball has to be at least 54 millimetres. We maintain a greater distance to accommodate the largest AL-KO coupling which allow more articulation and reduce risk of bumper damage.

Safety

Amalgamated norms

A Brink towbar guarantees you optimum safety. All our towbars comply with the international standards (DIN ISO, ECE R55, TÜV GS, City Crash) and those of car manufacturers. In order to offer you additional security, we have further amalgamated these requirements with our own standards.

Extensive testing

At Brink we have an advanced testing centre. Every towbar is subject to quality tests while being exposed to the most extreme conditions. This is done according to the international standards and our own self imposed tests which provide a guarantee for years of carefree and enjoyable use.

Qualitative assembly

Brink works closely with selected garages, car dealers and fast fitters. These are qualified assembly stations that we check and train periodically. Their technicians meet our high quality standards and you can be assured that your towbar and wiring kit are correctly installed to your vehicle. Brink provides a five-year warranty on our towbar and installation if completed by one of our installation partners.

Brink MX

Retractable towbar

Do you use your towbar regularly, is the design of your car important to you and do you want maximum usability? The retractable towbar is the optimum solution. In stored position, it is invisible. But with a simple hand movement the towbar is ready to use.





Innovation

With a retractable towbar no longer is there a permanent fixture behind your car. But within a few seconds a towbar is always available when you need it. Because the towball can be folded away behind the bumper the retractable towbar keeps the design of your car intact and its not necessary tot store a loose ball in your boot. Brink has a wide range of retractable towbars. You can find out which is the most optimum design for your vehicle by visiting www.brink.eu.

Ease of use

With a retractable towbar in the stored position, the boot is easily accessible and easy to load. In addition the towbar is maintenance free. The towball always stays connected to the towball housing. This way the towball housing is protected against dirt and grit.

Simply to operate

By simply operating a lever under the car, the ball appears from behind the bumper. It can then be locked into place with minimal effort by positioning manually into the self lock location. During this rotational movement the towbar makes a small upward movement until it locks with a click. Removal is equally as simple. By pushing the rotary knob in the direction of the ball and turning it with your thumb in a flowing movement in an upwards position, it releases the lock. Then the towball can then be folded away behind the bumber and locked with a click into the stored position. There is no tool, lubrication or grease required.

Ergonomic rotary knob

The rotary knob of the manually retractable towbar is provided with an ergonomic design. It is comfortable to operate because your fingers, hand, wrist and arm have a natural position when handling it. This allows you to create an optimal power transfer with minimal effort when unlocking the towbar.

Clear instructions

The unlocking of the manually retractable towbar is fast and easy. On the rotary knob, there is an arrow that indicates the operation for the unlocking.

Safety

A retractable towbar offers the same safety and strength as a fixed towbar. The ball is always connected to the module, so it can never come loose while driving. This way the retractable towbar can fully utilize the vertical axle load and trailer weight, as indicted by the car manufacturer. The locking system has been extensively tested for under the most extreme driving conditions.

Audible lock

You can hear the lock of the manually retractable towbar. Thanks to the Ergoclick $^{\text{TM}}$, an audible click can be heard when locking the ball. This gives you the confirmation that the towbar is attached correctly.

Visible lock

You can easily see if the manually retractable towbar is locked. The rotary knob has a built-in colour indication consisting of colour codes. Green is a successful lock. Red means the ball is not engaged correctly and requires reinstallation.



Brink Towing Systems
Unit 7 Centrovell Industrial Estate, Caldwell RD
T 02476 355 810
F 02476 352 024
salesin.box@brink.eu
www.brink.eu



